



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai

Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &

Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT)

COIMBATORE-641 035, TAMIL NADU



UNIT III OBJECT AND CLASSES

STRING , STRING BUFFER, CHARACTER CLASSES

Java String

In [Java](#), string is basically an object that represents sequence of char values. An [array](#) of characters works same as Java string. For example:

1. `char[] ch={'j','a','v','a','t','p','o','i','n','t'};`

2. `String s=new String(ch);`

is same as:


1. `String s="javatpoint";`

Java String class provides a lot of methods to perform operations on strings such as `compare()`, `concat()`, `equals()`, `split()`, `length()`, `replace()`, `compareTo()`, `intern()`, `substring()` etc.

The `java.lang.String` class implements `Serializable`, `Comparable` and `CharSequence` [interfaces](#).

CharSequence Interface

The `CharSequence` interface is used to represent the sequence of characters. `String`, [StringBuffer](#) and [StringBuilder](#) classes implement it. It means, we can create strings in Java by using these three classes.



The Java String is immutable which means it cannot be changed. Whenever we change any string, a new instance is created. For mutable strings, you can use StringBuffer and StringBuilder classes.

We will discuss immutable string later. Let's first understand what String in Java is and how to create the String object.

What is String in Java?

Generally, String is a sequence of characters. But in Java, string is an object that represents a sequence of characters. The java.lang.String class is used to create a string object.

How to create a string object?

There are two ways to create String object:

1. By string literal
2. By new keyword

1) String Literal


Java String literal is created by using double quotes. For Example:

1. String s="welcome";

Each time you create a string literal, the JVM checks the "string constant pool" first. If the string already exists in the pool, a

reference to the pooled instance is returned. If the string doesn't exist in the pool, a new string instance is created and placed in the pool. For example:

1. String s1="Welcome";
2. String s2="Welcome";//It doesn't create a new instance



In the above example, only one object will be created. Firstly, JVM will not find any string object with the value "Welcome" in string constant pool that is why it will create a new object. After that it will find the string with the value "Welcome" in the pool, it will not create a new object but will return the reference to the same instance.

Note: String objects are stored in a special memory area known as the "string constant pool".

Why Java uses the concept of String literal?

To make Java more memory efficient (because no new objects are created if it exists already in the string constant pool).

2) By new keyword

1. String s=**new** String("Welcome");//creates two objects and one reference variable

In such case, **JVM** will create a new string object in normal (non-pool) heap memory, and the literal "Welcome" will be placed in the string constant pool. The variable s will refer to the object in a heap (non-pool).

Java String Example

StringExample.java

1. **public class** StringExample{
2. **public static void** main(String args[]){
3. String s1="java";//creating string by Java string literal
4. **char** ch[]={'s','t','r','i','n','g','s'};
5. String s2=**new** String(ch);//converting char array to string
6. String s3=**new** String("example");//creating Java string by new keyword
7. System.out.println(s1);
8. System.out.println(s2);
9. System.out.println(s3);
10. **}}**

Test it Now

Output:

```
java
strings
example
```

The above code, converts a **char** array into a **String** object. And displays the String objects **s1**, **s2**, and **s3** on console using **println()** method.