



# **SNS COLLEGE OF TECHNOLOGY**

**Coimbatore-35**  
**An Autonomous Institution**

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A++' Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

## **DEPARTMENT OF ARTIFICIAL INTELLIGENCE AND MACHINE LEARNING**

**23AMB201 - MACHINE LEARNING**

**II YEAR IV SEM**

**UNIT III – GENERATIVE MODELS AND BOOSTING**

**TOPIC 19, 20 – Ensemble learning and Boosting**

Redesigning Common Mind & Business Towards Excellence




Build an Entrepreneurial Mindset Through Our Design Thinking Framework



# Ensemble

**Ensemble Learning:** Combine the decisions from multiple models to improve the overall performance.





1. An ensemble is itself a supervised learning algorithm because it can be trained and then used to make predictions.
2. It combine several decision trees classifiers to produce better predictive performance than a single decision tree classifier.
3. Main principle is to group of **weak learners come together to form a strong learner**
4. To increasing the accuracy of the model.
5. Ensemble helps to reduce noise, variance and bias

Total error can be expressed as follows:


$$\text{Total Error} = \text{Bias} + \text{Variance} + \text{Irreducible Error}$$






# Types of Ensemble

## Parallel ensembles



## Sequential ensembles





# Basic Ensemble Techniques and Methods

- 1. Max Voting**
- 2. Averaging**
- 3. Weighted Average**

- 1. Bootstrap**
- 2. Bagging**
- 3. Stocking**





# Max Voting

PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch
1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0
2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0
3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0
4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0
5	0	3	Allen, Mr. William Henry	male	35.0	0	0

M1 M2 M3

Pred 1	Pred 2	Pred 3	Final Pred
0	1	0	?
0	1	1	?
1	1	0	?
1	0	1	?
0	0	0	?

M1 M2 M3

PassengerId	Survived
1	0
2	1
3	1
4	1
5	0

Pred 1	Pred 2	Pred 3
0	1	0
0	1	1
1	1	0
1	0	1
0	0	0

M1: logistic regression  
M2: KNN  
M3: SVM

M1 M2 M3 Vote

Pred 1	Pred 2	Pred 3	Final Pred
0	1	0	0
0	1	1	1
1	1	0	1
1	0	0	0
0	0	0	0



# Averaging

		M1	M2	M3				
		Predicted Values 1	Predicted Values 2	Predicted Values 3	Predicted Values 1	Predicted Values 2	Predicted Values 3	Average
0	3735.1380	3900	3000	3500	3900	3000	3500	3466.66
1	443.4228	390	340	500	390	340	500	410.00
2	2097.2700	2000	1900	2600	2000	1900	2600	2166.66
3	732.3800	700	600	750	700	600	750	683.33
4	994.7052	950	800	1060	950	800	1060	936.66

M1: logistic regression

M2: KNN

M3: SVM





# Weighted Average

**M1**    **0.6**    **2**  
**M2**    **0.4**    **1**  
**M3**    **0.6**    **2**

M1: logistic regression  
M2: KNN  
M3: SVM

2

ID	Actual Values	Predicted Values 1	Predicted Values 2	Predicted Values 3
0	3735.13	7800	3000	3500
1	443.422	780	340	500
2	2097.27	4000	1900	2600
3	732.380	1400	600	750
4	994.705	1900	800	1060


2

ID	Actual Values	Predicted Values 1	Predicted Values 2	Predicted Values 3
0	3735.13	7800	3000	7000
1	443.422	780	340	1000
2	2097.27	4000	1900	5200
3	732.380	1400	600	1500
4	994.705	1900	800	2120

ID	Actual Values	Predicted Values 1	Predicted Values 2	Predicted Values 3	Average
0	3735.13	7800	3000	7000	3560
1	443.422	780	340	1000	424
2	2097.27	4000	1900	5200	2220
3	732.380	1400	600	1500	700
4	994.705	1900	800	2120	964




# Ensemble Learning Methods – Bagging



Subsamples from a dataset are created and they are called “bootstrap sampling.” To put it simply, random subsets of a dataset are created using replacement, meaning that the same data point may be present in several subsets.



# Ensemble Learning Methods - Boosting



Boosting trains a learner on some initial dataset,  $d$ . The resultant learner is typically weak, misclassifying many samples in the dataset.


Boosting then samples instances from the initial dataset to create a new dataset ( $d_2$ )

Boosting prioritizes misclassified data instances from the first model or learner. A new learner is trained on this new dataset  $d_2$ .





# Ensemble Learning Methods - Stacking



1. The stacking ensemble method also involves creating bootstrapped data subsets, like the bagging ensemble mechanism for training multiple models.
2. However, here, the outputs of all such models are used as an input to another classifier, called meta-classifier, which finally predicts the samples.



# References

Y. S. Abu-Mostafa, M. Magdon-Ismail, and H.-T. Lin, —Learning from Data, AML Book Publishers, 2012.

P. Flach, —Machine Learning: The art and science of algorithms that make sense of data, Cambridge University Press, 2012.

[https://sefiks.com/2018/08/27/a-step-by-step-Random Forest-decision-tree-example/#google\\_vignette](https://sefiks.com/2018/08/27/a-step-by-step-Random-Forest-decision-tree-example/#google_vignette)

[https://medium.com/@singhakshay.etw69/decision-tree-algorithm-Random Forest-e61032794927](https://medium.com/@singhakshay.etw69/decision-tree-algorithm-Random-Forest-e61032794927)

