SNS COLLEGE OF TECHNOLOGY

Coimbatore-35
An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with ‘A+’ Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF INFORMATION TECHNOLOGY

23CST202 – Operating Systems

II YEAR - IV SEM

UNIT 2 – PROCESS SCHEDULING AND SYNCHRONIZATION

TOPIC 1 – CPU Scheduling

Syllabus

UNIT I OVERVIEW AND PROCESS MANAGEMENT 9

Introduction - Computer System Organization, Architecture, Operation, Process Management – Memory Management – Storage Management – Operating System – Process concept – Process scheduling – Operations on processes – Cooperating processes – Inter process communication. Threads - Multi-threading Models – Threading issues.

UNIT II PROCESS SCHEDULING AND SYNCHRONIZATION 10

CPU Scheduling - Scheduling criteria – Scheduling algorithms – Multiple-processor scheduling – Real time scheduling – Algorithm Evaluation. Process Synchronization - The critical-section problem – Synchronization hardware – Semaphores – Classical problems of synchronization. Deadlock - System model – Deadlock characterization – Methods for handling deadlocks – Deadlock prevention – Deadlock avoidance – Deadlock detection – Recovery from deadlock.

UNIT III MEMORY MANAGEMENT 9

Memory Management - Background – Swapping – Contiguous memory allocation – Paging – Segmentation – Segmentation with paging. Virtual Memory - Background – Demand paging – Process creation – Page replacement – Allocation of frames – Thrashing.

UNIT IV FILE SYSTEMS 8

File concept - Access methods – Directory structure – Files System Mounting – File Sharing – Protection. File System Implementation - Directory implementation – Allocation methods – Free-space management.

UNIT V I/O SYSTEMS 9

I/O Systems - I/O Hardware – Application I/O interface – Kernel I/O subsystem – Streams – Performance. Mass-Storage Structure: Disk scheduling – Disk management – Swap-space management – RAID – Disk attachment – Stable storage – Tertiary storage. Case study: Implementation of Distributed File system in Cloud OS / Mobile OS.

L :45 P:0 T: 45 PERIODS

CPU Scheduling

- Basic Concepts
- Scheduling Criteria
- Scheduling Algorithms
- Multiple-Processor Scheduling
- Real-Time Scheduling
- Algorithm Evaluation

Basic Concepts

- Maximum CPU utilization obtained with multiprogramming
- CPU–I/O Burst Cycle – Process execution consists of a cycle of CPU execution and I/O wait.
- CPU burst distribution

Alternating Sequence of CPU And I/O Bursts



Histogram of CPU-burst Times



CPU Scheduler

- Selects from among the processes in memory that are ready to execute, and allocates the CPU to one of them.
- CPU scheduling decisions may take place when a process:
  - 1. Switches from running to waiting state.
  - 2. Switches from running to ready state.
  - 3. Switches from waiting to ready.
  - 4. Terminates.
- Scheduling under 1 and 4 is *nonpreemptive*.
- All other scheduling is *preemptive*.

Dispatcher

- Dispatcher module gives control of the CPU to the process selected by the short-term scheduler; this involves:
    - switching context
    - switching to user mode
    - jumping to the proper location in the user program to restart that program
- Dispatch latency – time it takes for the dispatcher to stop one process and start another running.

Scheduling Criteria

- CPU utilization – keep the CPU as busy as possible
- Throughput – # of processes that complete their execution per time unit
- Turnaround time – amount of time to execute a particular process
- Waiting time – amount of time a process has been waiting in the ready queue
- Response time – amount of time it takes from when a request was submitted until the first response is produced, not output (for time-sharing environment)

Optimization Criteria

- Max CPU utilization
- Max throughput
- Min turnaround time
- Min waiting time
- Min response time

First-Come, First-Served (FCFS) Scheduling

Process	Burst Time
P_1	24
P_2	3
P_3	3

- Suppose that the processes arrive in the order: P_1 , P_2 , P_3
  The Gantt Chart for the schedule is:

P_1	P_2	P_3

0 24 27 30

- Waiting time for $P_1 = 0$; $P_2 = 24$; $P_3 = 27$
- Average waiting time: $(0 + 24 + 27)/3 = 17$

FCFS Scheduling (Cont.)

- Suppose that the processes arrive in the order
- P2 , P3 , P1 .
- The Gantt chart for the schedule is:

- Waiting time for P1 = 6; P2 = 0; P3 = 3
- Average waiting time: (6 + 0 + 3)/3 = 3
- Much better than previous case.
- Convoy effect short process behind long process

Shortest-Job-First (SJR) Scheduling

- Associate with each process the length of its next CPU burst. Use these lengths to schedule the process with the shortest time.
- Two schemes:
  - nonpreemptive – once CPU given to the process it cannot be preempted until completes its CPU burst.
  - preemptive – if a new process arrives with CPU burst length less than remaining time of current executing process, preempt. This scheme is know as the Shortest-Remaining-Time-First (SRTF).
- SJF is optimal – gives minimum average waiting time for a given set of processes.

Example of Non-Preemptive SJF

- Process Arrival Time Burst Time
- P1 0.0 7
- P2 2.0 4
- P3 4.0 1
- P4 5.0 4
- SJF (non-preemptive)



- Average waiting time = (0 + 6 + 3 + 7)/4 - 4

Example of Preemptive SJF

Process	Arrival Time	Burst Time
P_1	0.0	7
P_2	2.0	4
P_3	4.0	1
P_4	5.0	4

SJF (preemptive)



Average waiting time = (9 + 1 + 0 +2)/4 - 3