



**SNS COLLEGE OF TECHNOLOGY, COIMBATORE-35**

**(AN AUTONOMOUS INSTITUTION)**



**DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING**

**19CST202-DATABASE MANAGEMENT SYSTEM**

## **UNIT-III**

### **Database Design**

**Topic: 2NF and 3NF**

#### **Fourth normal form (4NF)**

- A relation will be in 4NF if it is in Boyce Codd normal form and has no multi-valued dependency.
- For a dependency  $A \twoheadrightarrow B$ , if for a single value of A, multiple values of B exists, then the relation will be a multi-valued dependency.

#### **Example**

#### **STUDENT**

| <b>STU_ID</b> | <b>COURSE</b> | <b>HOBBY</b> |
|---------------|---------------|--------------|
| 21            | Computer      | Dancing      |
| 21            | Math          | Singing      |
| 34            | Chemistry     | Dancing      |
| 74            | Biology       | Cricket      |
| 59            | Physics       | Hockey       |

The given STUDENT table is in 3NF, but the COURSE and HOBBY are two independent entity. Hence, there is no relationship between COURSE and HOBBY.

In the STUDENT relation, a student with STU\_ID, **21** contains two courses, **Computer** and **Math** and two hobbies, **Dancing** and **Singing**. So there is a Multi-valued dependency on STU\_ID, which leads to unnecessary repetition of data.

So to make the above table into 4NF, we can decompose it into two tables:

#### STUDENT\_COURSE

| STU_ID | COURSE    |
|--------|-----------|
| 21     | Computer  |
| 21     | Math      |
| 34     | Chemistry |
| 74     | Biology   |
| 59     | Physics   |

#### STUDENT\_HOBBY

| STU_ID | HOBBY   |
|--------|---------|
| 21     | Dancing |
| 21     | Singing |

|    |         |
|----|---------|
| 34 | Dancing |
| 74 | Cricket |
| 59 | Hockey  |

### **Fifth normal form (5NF)**

- A relation is in 5NF if it is in 4NF and not contains any join dependency and joining should be lossless.
- 5NF is satisfied when all the tables are broken into as many tables as possible in order to avoid redundancy.
- 5NF is also known as Project-join normal form (PJ/NF).

### **Example**

| <b>SUBJECT</b> | <b>LECTURER</b> | <b>SEMESTER</b> |
|----------------|-----------------|-----------------|
| Computer       | Anshika         | Semester 1      |
| Computer       | John            | Semester 1      |
| Math           | John            | Semester 1      |
| Math           | Akash           | Semester 2      |
| Chemistry      | Praveen         | Semester 1      |

In the above table, John takes both Computer and Math class for Semester 1 but he doesn't take Math class for Semester 2. In this case, combination of all these fields required to identify a valid data.

Suppose we add a new Semester as Semester 3 but do not know about the subject and who will be taking that subject so we leave Lecturer and Subject as NULL. But all three columns together acts as a primary key, so we can't leave other two columns blank.

So to make the above table into 5NF, we can decompose it into three relations P1, P2 & P3:P1

| SEMESTER   | SUBJECT   |
|------------|-----------|
| Semester 1 | Computer  |
| Semester 1 | Math      |
| Semester 1 | Chemistry |
| Semester 2 | Math      |

**P2**

| SUBJECT   | LECTURER |
|-----------|----------|
| Computer  | Anshika  |
| Computer  | John     |
| Math      | John     |
| Math      | Akash    |
| Chemistry | Praveen  |

**P3**

| SEMSTER    | LECTURER |
|------------|----------|
| Semester 1 | Anshika  |
| Semester 1 | John     |

|            |         |
|------------|---------|
| Semester 1 | John    |
| Semester 2 | Akash   |
| Semester 1 | Praveen |