

# SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)
Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai
Accredited by NAAC-UGC with 'A++' Grade (Cycle III) &
Accredited by NBA (B.E - CSE, EEE, ECE, Mech&B.Tech.IT)



COIMBATORE-641 035, TAMIL NADU


# UNIT IV INHERITANCE AND POLYMORPHISM Super class & Sub class

#### **Super class and Subclass**

- The **super** keyword in Java is a reference variable which is used to refer immediate parent class object.
- Whenever you create the instance of subclass, an instance of parent class is created implicitly which is referred by super reference variable.

### Usage of Java super Keyword

- 1. super can be used to refer immediate parent class instance variable.
- 2. super can be used to invoke immediate parent class method.
- 3. super() can be used to invoke immediate parent class constructor.



#### 1) super is used to refer immediate parent class instance variable.

We can use super keyword to access the data member or field of parent class. It is used if parent class and child class have same fields.

```
    class Animal{
    String color="white";
    class Dog extends Animal{
    String color="black";
    void printColor(){
    System.out.println(color);//prints color of Dog class
    System.out.println(super.color);//prints color of Animal class
    }
    class TestSuper1{
    public static void main(String args[]){
    Dog d=new Dog();
    d.printColor();
    }
```

Output:

black white

In the above example, Animal and Dog both classes have a common property color. If we print color property, it will print the color of current class by default. To access the parent property, we need to use super keyword.

#### 2) super can be used to invoke parent class method

The super keyword can also be used to invoke parent class method. It should be used if subclass contains the same method as parent class. In other words, it is used if method is overridden.

```
1. class Animal{
2. void eat(){System.out.println("eating...");}
3. }
4. class Dog extends Animal{
5. void eat(){System.out.println("eating bread...");}
6. void bark(){System.out.println("barking...");}
7. void work(){
8. super.eat();
9. bark();
10. }
11. }
12. class TestSuper2{
13. public static void main(String args[]){
14. Dog d=new Dog();
15. d.work();
16. }}
   Output:
   eating...
   barking...
```

In the above example Animal and Dog both classes have eat() method if we call eat() method from Dog class, it will call the eat() method of Dog class by default because priority is given to local.

To call the parent class method, we need to use super keyword.

#### 3) super is used to invoke parent class constructor.

The super keyword can also be used to invoke the parent class constructor. Let's see a simple example:


- 1. class Animal{
- 2. Animal(){System.out.println("animal is created");}
- 3. }
- 4. **class** Dog **extends** Animal{
- 5. Dog(){

```
6. super();
7. System.out.println("dog is created");
8. }
9. }
10. class TestSuper3{
11. public static void main(String args[]){
12. Dog d=new Dog();
13. }}
```

# Output:

animal is created dog is created

Note: super() is added in each class constructor automatically by compiler if there is no super() or this().



As we know well that default constructor is provided by compiler automatically if there is no constructor. But, it also adds super() as the first statement.

# Another example of super keyword where super() is provided by the compiler implicitly.

- 1. class Animal{
- 2. Animal(){System.out.println("animal is created");}
- 3. }
- 4. **class** Dog **extends** Animal{
- 5. Dog(){
- 6. System.out.println("dog is created");
- 7. }
- 8. }
- 9. **class** TestSuper4{
- 10. **public static void** main(String args[]){
- 11. Dog d=**new** Dog();
- 12. }}

#### Output:

animal is created dog is created

