




Degree of a vertex: Graph Terminology

The number of edges incident at the vertex  $v_i$  is called the degree of the vertex with self loops counted twice and it is denoted by  $d(v_i)$ .

J. Find the degree of the vertices for the graph



$$d(v_1) = 4$$

$$d(v_4) = 3$$

$$d(v_2) = 2$$

$$d(v_5) = 1$$

$$d(v_3) = 4$$

$$d(v_6) = 0$$

Indegree and Outdegree of a directed graph:

In a directed graph, the in-degree of a vertex  $v$ , denoted by  $\deg^-(v)$  and defined by the number of edges with  $v$  as their terminal vertex.

The out-degree of  $v$ , denoted by  $\deg^+(v)$ , is the number of edges with  $v$  as their initial vertex.

Note:

A loop at a vertex contributes 1 to both in & out degree.



# SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)


Coimbatore-641035.



## UNIT 3- GRAPHS

## Graph Terminology

Eg:



Indegree

$$d^-(v_1) = 3$$

$$d^-(v_2) = 1$$

$$d^-(v_3) = 2$$

$$d^-(v_4) = 1$$

Outdegree

$$d^+(v_1) = 1$$

$$d^+(v_2) = 2$$

$$d^+(v_3) = 1$$

$$d^+(v_4) = 3$$

Theorem 1: (Handshaking Theorem)

Let  $G = (V, E)$  be an undirected graph with  $e$  edges. Then  $\sum_{v \in V} \deg(v) = 2e$ .

The sum of degrees of all the vertices of an undirected graph is twice the number of edges of the graph and hence even.

Proof:

Since every edge is incident with exactly two vertices, every edge contributes 2 to the sum of the degree of the vertices.

$\therefore$  All the  $e$  edges contribute  $(2e)$  to the sum of the degrees of vertices.

$$\therefore \sum \deg(v) = 2e$$

Theorem 2:

In a undirected graph, the number of odd degree vertices are even.

Proof:

Let  $V_1$  and  $V_2$  be the set of all vertices of even degree and odd degree respectively, in a graph  $G$ .

$$\therefore \sum d(v) = \sum_{v_i \in V_1} d(v_i) + \sum_{v_j \in V_2} d(v_j) \rightarrow (1)$$

By the handshaking theorem,

$$2e = \sum_{v_i \in V_1} d(v_i) + \sum_{v_j \in V_2} d(v_j) \rightarrow (2)$$



## UNIT 3- GRAPHS

## Graph Terminology

In (2), LHS is even and the first expression on the RHS is even, we have the 2nd expression on the RHS must be even.

i.e.,  $\sum_{v_j \in V_2} d(v_j)$  is even.

Since each  $\deg(v_j)$  is odd, the number of terms contained in  $\sum_{v_j \in V_2} d(v_j)$  must be even.

$\therefore$  The number of vertices of odd degree is even.

Theorem 3:

The maximum number of edges in a simple graph with 'n' vertices is  $\frac{n(n-1)}{2}$

Proof:

We prove this theorem by the principle of mathematical induction.

Let  $P(n)$  be the maximum no. of edges in a simple graph with n vertices is  $\frac{n(n-1)}{2}$ .

For  $n=1$ ,  $P(1) = \frac{1(1-1)}{2} = 0$

$\therefore$  A graph with one vertex has no edges.

$\therefore P(1)$  is true

Assume that  $P(k)$  be the maximum no. of edges in a simple graph with k vertices is  $\frac{k(k-1)}{2}$ .

To prove  $P(k+1)$  is true.

Let  $G_1$  be a graph having  $k+1$  vertices and  $G_1'$  be the graph obtained from  $G_1$  by deleting 1 vertex i.e.,  $v \in V(G_1)$

By our assumption,  $G_1'$  has at most  $\frac{k(k-1)}{2}$  edges.



## UNIT 3- GRAPHS

## Graph Terminology

Now we add the vertex  $v$  to  $G_1$  such that it may be adjacent to all the  $k$  vertices of  $G_1$

$$\begin{aligned} \text{Total no. of edges} &= \frac{k(k-1)}{2} + k \\ &= \frac{k(k-1) + 2k}{2} \\ &= \frac{k^2 - k + 2k}{2} \\ &= \frac{k(k+1)}{2} \\ &= \frac{(k+1)(k+1-1)}{2} \end{aligned}$$

$\therefore$  The result is true for  $k+1$  vertices.  
Hence the maximum no. of edges in a simple graph with  $n$  vertices is  $\frac{n(n-1)}{2}$ .

### Problems

- 1]. How many edges are there in a graph with 10 vertices each of degree '6'.

Soln.

Let the no. of edges be 'e'

avn. No. of vertices = 10

Degree of each vertex = 6

By handshaking theorem  $\rightarrow$

$$\sum \deg(v) = 2e$$

$$6 \times 10 = 2e$$

$$2e = 60$$

$$\boxed{e = 30}$$

- 2]. How many vertices does a regular graph with degree '4' with '10' edges have?

Soln.

Let the no. of vertices be 'v'.



## UNIT 3- GRAPHS

## Graph Terminology

Given. No. of edges = 10  
 degree of each vertex = 4  
 By handshaking them,  $\sum \deg(v) = 2e$   
 $4 \times 10 = 2(10)$   
 $\boxed{10 = 10}$

3] Can a simple graph exist with '15' vertices each of degree '3'  
 Soln.  
 Let the no. of edges be  $e$   
 Given. No. of vertices = 15  
 Degree of each vertex = 3  
 By handshaking them,  $\sum \deg(v) = 2e$   
 $3 \times 15 = 2e$   
 $e = \frac{45}{2}$  which is not an integer.  
 $\therefore$  A simple graph cannot exist.

4] Find the no. of vertices, no. of edges and degree of each vertex in the following undirected graph and also verify handshaking them.

Soln.  
 No. of vertices: 5  
 No. of edges: 12  
 $d(v_1) = 6$   
 $d(v_2) = 6$   
 $d(v_3) = 4$   
 $d(v_4) = 5$   
 $d(v_5) = 3$   
 $\therefore$  Total degree =  $6 + 6 + 4 + 5 + 3$   
 By handshaking them,  $\sum d(v) = 2e$   
 $24 = 2(12)$   
 $= 24$

Here proved.



## UNIT 3- GRAPHS

## Graph Terminology

5]. Find the Indegree of the directed graph & also outdegree of the directed graph. S.T no. of edges is equal to the total no. of Indegree.

Soln.

Indegree

$$d^-(v_1) = 3$$

$$d^-(v_2) = 1$$

$$d^-(v_3) = 2$$

$$d^-(v_4) = 1$$


out degree

$$d^+(v_1) = 0$$

$$d^+(v_2) = 2$$

$$d^+(v_3) = 1$$

$$d^+(v_4) = 3$$



$\therefore$  Total No. of Indegree = 7

and No. of edges = 7

$\therefore$  No. of edges = Total No. of Indegree

Hence proved.

6]. Is there any graph with degree sequence

(1, 3, 3, 3, 5, 6, 6)?

Soln.

Here the no. of odd degree vertices = 5 (1, 3, 3, 3, 5)

By theorem 2, the graph is not possible since the no. of odd degree vertices are even.