



SNS COLLEGE OF TECHNOLOGY
Coimbatore-35
An Autonomous Institution



Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A++' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

**DEPARTMENT OF ELECTRONICS & COMMUNICATION
ENGINEERING**

19ECT301- COMMUNICATION NETWORKS

III YEAR/ V SEMESTER

UNIT 3 - TRANSPORT LAYER & APPLICATION LAYER

TOPIC – ELEMENTS OF TRANSPORT PROTOCOL




Elements of Transport Protocols


- Addressing
- Connection Establishment
- Connection Release
- Flow Control and Buffering
- Multiplexing
- Crash Recovery



Transport Protocol



(a)




(b)

(a) Environment of the data link layer.

(b) Environment of the transport layer.




Addressing



TSAPs, NSAPs and transport connections.





Connection Establishment



How a user process in host 1 establishes a connection with a time-of-day server in host 2




Connection Establishment (2)



- (a) TPDUs may not enter the forbidden region.
- (b) The resynchronization problem.




Connection Establishment (3)



- Three protocol scenarios for establishing a connection using a three-way handshake. CR denotes CONNECTION REQUEST.
- (a) Normal operation,
 - (b) Old CONNECTION REQUEST appearing out of nowhere.
 - (c) Duplicate CONNECTION REQUEST and duplicate ACK.




Connection Release



Abrupt disconnection with loss of data.




Connection Release (3)



Four protocol scenarios for releasing a connection. (a) Normal case of a three-way handshake. (b) final ACK lost.




Connection Release (4)



(c) Response lost. (d) Response lost and subsequent DRs lost.



Flow Control and Buffering



- (a) Chained fixed-size buffers. (b) Chained variable-sized buffers.
(c) One large circular buffer per connection.



Flow Control and Buffering (2)




<u>A</u>	<u>Message</u>	<u>B</u>	<u>Comments</u>
1 →	< request 8 buffers >	→	A wants 8 buffers
2 ←	<ack = 15, buf = 4 >	←	B grants messages 0-3 only
3 →	<seq = 0, data = m0 >	→	A has 3 buffers left now
4 →	<seq = 1, data = m1 >	→	A has 2 buffers left now
5 →	<seq = 2, data = m2 >	***	Message lost but A thinks it has 1 left
6 ←	<ack = 1, buf = 3 >	←	B acknowledges 0 and 1, permits 2-4
7 →	<seq = 3, data = m3 >	→	A has 1 buffer left
8 →	<seq = 4, data = m4 >	→	A has 0 buffers left, and must stop
9 →	<seq = 2, data = m2 >	→	A times out and retransmits
10 ←	<ack = 4, buf = 0 >	←	Everything acknowledged, but A still blocked
11 ←	<ack = 4, buf = 1 >	←	A may now send 5
12 ←	<ack = 4, buf = 2 >	←	B found a new buffer somewhere
13 →	<seq = 5, data = m5 >	→	A has 1 buffer left
14 →	<seq = 6, data = m6 >	→	A is now blocked again
15 ←	<ack = 6, buf = 0 >	←	A is still blocked
16 ***	<ack = 6, buf = 4 >	←	Potential deadlock

Dynamic buffer allocation. The arrows show the direction of transmission. An ellipsis (...) indicates a lost TPDU.



Multiplexing



(a) Upward multiplexing. (b) Downward multiplexing.



Crash Recovery



Strategy used by receiving host

← First ACK, then write →

← First write, then ACK →

Strategy used by sending host

	AC(W)	AWC	C(AW)	C(WA)	W AC	WC(A)
Always retransmit	OK	DUP	OK	OK	DUP	DUP
Never retransmit	LOST	OK	LOST	LOST	OK	OK
Retransmit in S0	OK	DUP	LOST	LOST	DUP	OK
Retransmit in S1	LOST	OK	OK	OK	OK	DUP

OK = Protocol functions correctly

DUP = Protocol generates a duplicate message

LOST = Protocol loses a message

Different combinations of client and server strategy.



THANK YOU