



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Coimbatore-641035.



Unit 3-Differential Calculus

Envelopes

Envelope :

The envelope of the family of curves is a curve which touches each member of a family.

Procedure to find the envelope of the family of curves:

Method 1:

If the family of curves is expressed as the quadratic form say $Aa^2 + Ba + C = 0$ where 'a' is the parameter. Then the envelope is given by $B^2 - 4AC = 0$

Method 2:

* Differentiate given eqn. with respect to parameter.

* Eliminate the parameter from the given curve.

Problems based on envelope with one parameter

1. Find the envelope of $y = mx + am^2$, m is parameter.

Soln.

The given eqn. is $y = mx + am^2$ (m is parameter)

i.e., $am^2 + xm - y = 0$, which is a quadratic eqn. in m.

The envelope is given by,

$$B^2 - 4AC = 0$$

Here $A = a$, $B = x$, $C = -y$

$$\therefore x^2 - 4a(-y) = 0$$

$$x^2 + 4ay = 0$$

2. Find the envelope of $y = mx + \sqrt{a^2 m^2 + b^2}$

Soln.

$$\text{Given: } y = mx + \sqrt{a^2 m^2 + b^2} \Rightarrow y - mx = \sqrt{a^2 m^2 + b^2}$$

Squaring on both sides,

$$(y - mx)^2 = a^2 m^2 + b^2$$



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Coimbatore-641035.



Unit 3-Differential Calculus

Envelope

$$\Rightarrow y^2 - 2axy + m^2 x^2 - a^2 m^2 - b^2 = 0$$

$(x^2 - a^2) m^2 - 2(bxy)m + (y^2 - b^2) = 0$ which is a quadratic eqn. in m .

The envelope is given by $B^2 - 4AC = 0$

$$\text{Here } A = (x^2 - a^2), \quad B = -2axy \quad C = y^2 - b^2$$

$$4x^2 y^2 - 4(x^2 - a^2)(y^2 - b^2) = 0$$

$$\div 4 \quad x^2 y^2 = (x^2 - a^2)(y^2 - b^2)$$

- 3). Find the envelope of $\frac{x^2}{\alpha} + \frac{y^2}{1-\alpha} = 1$, where α is the parameter.

$$\text{Gvn. } \frac{x^2}{\alpha} + \frac{y^2}{1-\alpha} = 1$$

$$(1-\alpha)x^2 + \alpha y^2 = \alpha(1-\alpha)$$

$$\Rightarrow (1-\alpha)x^2 + \alpha y^2 - \alpha + \alpha^2 = 0$$

$$\Rightarrow \alpha^2 + x^2 - \alpha x^2 + \alpha y^2 - \alpha = 0$$

$$\Rightarrow \alpha^2 + (-x^2 + y^2 - 1)\alpha + x^2 = 0$$

$$\text{Here } a=1, \quad B=(-x^2 + y^2 - 1), \quad C=x^2$$

$$\text{Now } B^2 - 4AC = 0, \quad [-x^2 + y^2 - 1]^2 - 4(1)(x^2) = 0$$

$$\alpha^4 + y^4 + 1 - 2x^2 y^2 - 2y^2 + 2x^2 - 4x^2 = 0$$

$$\alpha^4 + y^4 + 1 - 2x^2 y^2 - 2y^2 - 2x^2 = 0$$

- 4). Find the envelope of $x \cos \theta + y \sin \theta = a$, where θ is the parameter.

Soln.

$$\text{Gvn. } x \cos \theta + y \sin \theta = a \rightarrow (1)$$

Differentiate partially w.r.t. to ' θ ';

$$-x \sin \theta + y \cos \theta = 0 \rightarrow (2)$$

Squaring of (1) and (2) separately,

$$[x \cos \theta + y \sin \theta]^2 + [-x \sin \theta + y \cos \theta]^2 = a^2 + 0$$

$$x^2 \cos^2 \theta + y^2 \sin^2 \theta + 2xy \sin \theta \cos \theta + x^2 \sin^2 \theta + y^2 \cos^2 \theta = a^2$$

$$-2xy \sin \theta \cos \theta = a^2$$

$$x^2 [\sin^2 \theta + \cos^2 \theta] + y^2 [\sin^2 \theta + \cos^2 \theta] = a^2$$



SNS COLLEGE OF TECHNOLOGY

(An Autonomous Institution)

Coimbatore-641035.



Unit 3-Differential Calculus

Envelope

$$\Rightarrow x^2(1) + y^2(1) = a^2$$
$$x^2 + y^2 = a^2$$

Now
1. $x = 5\cos\theta - 5\sin\theta = 2$
2. $\frac{dx}{d\theta} = -5\cos\theta - 5\sin\theta = 1$

Scanned with CamScanner