



# **SNS COLLEGE OF TECHNOLOGY**

**Coimbatore-35**  
**An Autonomous Institution**



Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

## **DEPARTMENT OF AIML**

### **PROGRAMMING FOR PROBLEM SOLVING**

I YEAR - I SEM

#### **UNIT 4 – FUNCTIONS AND POINTERS**

##### **TOPIC 1 – Definition of Function**



# INTRODUCTION

The **strengths** of C language is C functions.

- They **are easy to define and use**.
- We have used functions in every program that we have discussed so far.
- However, they have been primarily limited to the **three** functions, namely
  - main, printf, and scanf.
- C functions can be classified into **two categories**, namely, **library functions and user-defined functions**.
- **main** is an example of user-defined functions.
- printf and scanf belong to the category of library functions.
- The main distinction between these two categories is that library functions are not required to be written by us.
- Whereas a user-defined function has to be developed by the user at the time of writing a program.
- However, a user-defined function can later become a part of the C program library.
- In fact, this is one of the strengths of C language.



# NEED FOR USER-DEFINED FUNCTIONS



- **Every program must have a main function** to indicate where the program has to begin its execution.
- While it is possible to code any program utilizing only main function, it leads to a number of problems.
- The program may become too large and complex and as a result the task of debugging, testing, and maintaining becomes difficult.
- If a program is divided into **functional parts**, then each part may be independently coded and later combined into a single unit.
- These independently coded programs are called **subprograms** that are much easier to understand, debug, and test.
- In C, such subprograms are referred to as **'functions'**.




# NEED FOR USER-DEFINED FUNCTIONS



- There are times when certain type of operations or calculations are **repeated** at many points throughout a program.
- For instance, we might use the factorial of a number at several points in the program.
  - In such situations, we may **repeat the program statements** wherever they are needed.
  - Another approach is to design a function that can be **called and used** whenever required.
  - This saves both time and space.



# MODULAR DIVISION



*Top-down modular programming using functions*





## NEED FOR USER-DEFINED FUNCTIONS



➤ This “division” approach clearly results in a number of advantages.

- 1. It **facilitates top-down modular** programming as shown in Fig.
- In this programming style, the **high level logic** of the overall problem is **solved first** while the details of each **lower-level** function are addressed later.
  
- 2. The **length of a source program can be reduced** by using functions at appropriate places.
  
- 3. It is **easy to locate and isolate** a faulty function for further investigations.
  
- 4. **A function may be used by many other programs.** This means that a C programmer can build on what others have already done, instead of starting all over again from scratch.



# A MULTI-FUNCTION PROGRAM

- A function is a self-contained block of code that performs a particular task.
- Once a function has been designed and packed, it can be treated as a ‘black box’ that takes some data from the main program and returns a value.
  - The inner details of operation are **invisible** to the rest of the program.
  - All that the program knows about a function is: What goes in and what comes out.
  - Every C program can be designed using a collection of these black boxes known as **functions**.



# FUNCTIONS - Example



```
void printline(void); /* declaration */
main( )
{
    printline( );
    printf(“This illustrates the use of C functions\n”);
    printline();
}
void printline(void)
{
    int i;
    for(i=1; i<40; i++)
    printf(“-”);
    printf(“\n”);
}
```






## FUNCTIONS - Example

The above set of statements defines a function called printline, which could print a line of 39-character Length.

- The above program contains **two user-defined functions**:
- main() function & printline() function
- As we know, the program execution always begins with the **main function**.
- During execution of the main, the first statement encountered is **printline( )**;
- which indicates that the function printline is to be executed.
- At this point, the program control is transferred to the function printline.
- After executing the printline function, which outputs a line of 39 character length, the control is transferred **back to the main**.
- Now, the execution continues at the point where the function call was executed.
- After executing the printf statement, the control is again transferred to the printline function for printing the line **once more**.
- The main function calls the user-defined printline function **two times** and the library function printf once.
- We may notice that the printline function itself calls the library function printf 39 times repeatedly.



Flow of control in a multi-function program



# MODULAR PROGRAMMING



- Any function can call any other function.
- In fact, it can call itself.
- A '**called function**' can also call another function.
- A function can be called more than once.
- In fact, this is one of the main features of using functions.
- Figure illustrates the flow of control in a multi-function program.
- Except the starting point, there are no other predetermined relationships, rules of precedence, or hierarchies among the functions that make up a complete program.
- The functions can be placed in any order.
- A **called function** can be placed either before or after the calling function.
- However, it is the usual practice to put all the called functions at the end.



# MODULAR PROGRAMMING



- Modular programming is a strategy applied to the design and development of software systems.
- It is defined as organizing a large program into small, independent program segments called **modules** that are separately named and individually callable program units.
  - These modules are carefully integrated to become a software system that satisfies the system requirements.
  - It is basically a “**divide-and-conquer**” approach to problem solving.
  - Modules are identified and designed such that they can be organized into a **top-down** hierarchical structure (similar to an organization chart).
  - **In C, each module refers to a function that is responsible for a single task.**



# CHARACTERISTICS OF MODULAR PROGRAMMING



1. Each module should do only one thing.
- 2. Communication between modules is allowed only by a **calling module**.
- 3. A module can be called by one and only one higher module.
- 4. No communication can take place directly between modules that do not have calling – called relationship.
- 5. All modules are designed as single-entry, single-exit systems using control structures.





# ELEMENTS OF USER-DEFINED FUNCTIONS



- We have discussed and used a variety of data types and variables in our programs so far.
- However, declaration and use of these variables were primarily done inside the main function.
  - As mentioned, functions are classified as one of the **derived data types in C**.
  - We can therefore define functions and use them like any other variables in C programs.
  - It is therefore not a surprise to note that there exist some similarities between functions and variables in C. They are
  - Both function names and variable names are considered identifiers and therefore, they must adhere to the rules for identifiers.
  - Like variables, functions have types (such as int) associated with them.
  - Like variables, function names and their types must be declared and defined before they are used in a program





# ELEMENTS OF USER-DEFINED FUNCTIONS



- In order to make use of a user-defined function, we need to establish three elements that are related to functions.
- **1. Function definition.**
  - **2. Function call.**
  - **3. Function declaration.**
  - The **function definition** is an independent program module that is specially written to implement the requirements of the function.
  - In order to use this function we need to invoke it at a required place in the program.
  - This is known as the **function call**.
  - The program (or a function) that calls the function is referred to as the **calling program or calling function**.
  - The calling program should declare any function (like declaration of a variable) that is to be used later in the program.
  - This is known as the **function declaration or function prototype**.



# DEFINITION OF FUNCTIONS

- A **function definition**, also known as **function implementation** shall include the following elements:
- 1. function name;
  - 2. function type;
  - 3. list of parameters;
  - 4. local variable declarations;
  - 5. function statements; and
  - 6. a return statement.
- All the six elements are grouped into **two parts**, namely,
- function header (First three elements); and
  - function body (Second three elements).



# DEFINITION OF FUNCTIONS



A general format of a function definition to implement these two parts is given below:

```
function_type function_name(parameter list)
{
    local variable declaration;
    executable statement1;
    executable statement2;
    . . . . .
    . . . . .
    return statement;
}
```

- The first line `function_type function_name(parameter list)` is known as the **function header** and the statements within the opening and closing braces constitute the **function body**, which is a compound statement.



# DEFINITION OF FUNCTIONS



## Function Header

- The function header consists of **three** parts:
  - the function type (also known as return type)
  - the function name
  - the formal parameter list.
- Note that a semicolon is not used at the end of the function header.
- Name and Type
- The **function type** specifies the type of value (like float or double) that the function is expected to return to the program **calling the function**.
- If the return type is not explicitly specified, C will assume that it is an integer type.
- If the function is not returning anything, then we need to specify the return type as void.
- The value returned is the output produced by the function.
- The **function name** is any valid C identifier and therefore must follow the same rules of formation as other variable names in C.
- The name should be **appropriate** to the task performed by the function.



# DEFINITION OF FUNCTIONS



## Formal Parameter List

- The parameter list declares the variables that will receive the data sent by the calling program.
- They serve as input data to the function to carry out the specified task.
- Since they represent the actual input values, they are often referred to as **formal parameters**.
- These parameters can also be used to **send values to the calling programs**.
- The parameters are also known as **arguments**.
- The parameter list contains declaration of variables separated by commas and surrounded by parentheses.
- Examples:
  - float quadratic (int a, int b, int c) { . . . . }
  - double power (double x, int n) { . . . . }
  - float mul (float x, float y) { . . . . }
  - int sum (int a, int b) { . . . . }
- Remember, there is no semicolon after the closing parenthesis.





# DEFINITION OF FUNCTIONS

- Note that the declaration of parameter variables cannot be combined.
  - That is, `int sum (int a,b)` **is illegal**.
  - A function need not always receive values from the calling program.
  - In such cases, functions have no formal parameters.
  - To indicate that the parameter list is empty, we use the keyword `void` between the parentheses as in **`void printline (void)`**

```
void printline (void)
{
    . . . . .
}
```

- This function neither receives any input values nor returns back any value.
- Many compilers accept an empty set of parentheses, without specifying anything





# DEFINITION OF FUNCTIONS



## Function Body

- The function body contains the **declarations** and statements necessary for performing the required task.
- The body enclosed in braces, contains **three parts**, in the order given below:
  - 1. Local declarations that specify the variables needed by the function.
  - 2. Function statements that perform the task of the function.
  - 3. A return statement that returns the value evaluated by the function.
- If a function does not return any value (like the printline function), we can omit the return statement.
- However, note that its return type should be specified as void.
- Again, it is nice to have a return statement even for void functions.
- Some examples of typical function definitions are:



# FUNCTION DEFINITION - Example



```
(a) float mul (float x, float y)
{
    float result;    /* local variable */
    result = x * y;  /* computes the product */
    return (result); /* returns the result */
}

(b) void sum (int a, int b)
{
    printf ("sum = %s", a + b);    /* no local variables */
    return;                        /* optional */
}

(c) void display (void)
{
    /* no local variables */
    printf ("No type, no parameters");
    /* no return statement */
}
```



# RETURN VALUES AND THEIR TYPES



- As pointed out earlier, a function may or may not send back any value to the calling function.
- If it does, it is done through the **return** statement.
  - While it is possible to pass to the called function any number of values, the called function can only return one value per call, at the most.
  - The return statement can take one of the following forms:

**return;**

or

**return(expression);**

- The first, the 'plain' return does not return any value; it acts much as the closing brace of the function.
- When a return is encountered, the control is immediately passed back to the **calling function**.
- An example of the use of a simple return is as follows:

**if(error)**

**return;**



# RETURN VALUES AND THEIR TYPES



The second form of return with an expression returns the value of the expression.

- For example, the function

```
int mul (int x, int y)
{
    int p;
    p = x*y;
    return(p);
}
```

- returns the value of p which is the product of the values of x and y.
- The last two statements can be combined into one statement as follows:
  - return (x\*y);
- A function may have more than one return statements



# RETURN VALUES AND THEIR TYPES



The above situation arises when the value returned is based on certain conditions.

➤ For example:

```
if( x <= 0 )  
return(0);  
else  
return(1);
```

- What type of data does a function return? All functions by default return int type data.
- But what happens if a function must return some other type? We can force a function to return a particular type of data by using a type specifier in the function header as discussed earlier.
- When a value is returned, it is automatically cast to the function's type.
- In functions that do computations using doubles, yet return ints, the returned value will be truncated to an integer.
- For instance, the function will return the value 7, only the integer part of the result.

```
int product (void)  
{  
return (2.5 * 3.0);  
}
```