

SNS COLLEGE OF TECHNOLOGY



Coimbatore-35 An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+'
Grade
Approved by AICTE, New Delhi & Affiliated to Anna University,
Chennai

DEPARTMENT OF ELEGIFICATE CHIEF CONTROL OF CONTROL OF THE OFFICE OFFICE

III ECE / VI SEMESTER

UNIT 1 – OVERVIEW OF INTERNET OF THINGS

TOPIC 8 – Data enrichment, Data consolidation and Device management at IoT/M2M Gateway,



Device and Gateway capabilities




- A gateway at a data-adaptation layer has several functions.
 - Data privacy, data security, data enrichment, data consolidation, transformation and device management.
- The gateway includes two functions viz.
 - data management and consolidation, and
 - connected device management.



Framework for data enrichment and consolidation







Data Management and Consolidation Gateway Functions



- Transcoding
- Privacy, security
- Integration
- Compaction and fusion



Transcoding



- Adaptation
- Conversions, and changes
- Using software which renders the web responses and messages
- Required in the IoT device acceptable Formats and representations



Data Privacy



•Examples: Patient medical data, data for a company supplies from and to different locations, and changes in inventories.

Privacy and protection from consciously or unconsciously transferring to untrustworthy destination using the Internet



Privacy Model



Depends on following components:

(i) Device and Applications Identities

management

(ii) Authentication

(iii) Authorization

(iv) Trust and

(v) Reputation



Data Security sub-layer for confidentiality and authorization



- A standard algorithm AES (Advanced Encryption Algorithm based on symmetric 128-bit block data encryption) CCM mode (Counter with CBC MAC)
- CBC stands for cryptographic block cipher with a block length of 128 bits.
- CCM is method which provisions for the authenticated encryption algorithm for confidentiality and authentication.



Data Gathering



- Data gathering means data acquisition from the device(s)
- Four modes of data gathering are:
- (i) Polling means data sought from a device by addressing the device
 - (ii) Event based
 - (iii) Scheduled interval
 - (iv) Continuous monitoring



Data Enrichment



- Adding value
- Security and
- Usability of the data



Data Dissemination: Prior Actions



- (i) Aggregation of joining together present and previously received data.
- (ii) Compaction making information short without changing the meaning or context
- (iii) Fusion means formatting the information received in parts through various data frames and several types of data (or data from several sources),



Energy Dissipation due to Data Dissipation



- Higher the data rate, the greater will be the energy consumed
- Higher is the radio frequency used, the greater will be the energy consumed
- Energy efficient computations by using concepts of data aggregation, compaction and fusion