



# **SNS COLLEGE OF TECHNOLOGY**

**Coimbatore-35**  
**An Autonomous Institution**

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai



## **DEPARTMENT OF INFORMATION TECHNOLOGY**

### **16ITB201 – DESIGN AND ANALYSIS OF ALGORITHMS**

II YEAR IV SEM

UNIT-I-Introduction

TOPIC: Fundamentals of the Analysis of Algorithm Efficiency – Asymptotic Notations

Prepared by  
C.PARKAVI,AP/AIML

# ASYMPTOTIC NOTATIONS AND ITS PROPERTIES



Subject :Design and Analysis of Algorithm  
Unit :I





- Analysis Framework
- Asymptotic Notations and its properties
- Mathematical analysis for Recursive algorithms.
- Mathematical analysis for Nonrecursive algorithms.





# Why Important

- Give a simple characterization of an algorithm's efficiency.
- Allow comparison of performances of various algorithms





# Asymptotic Notations



- Big-oh Notation ( $O$ )
- Big-Omega Notation ( $\Omega$ )
- Theta Notation ( $\Theta$ )



# BIG-OH NOTATION (O)


➤ Gives the upper bound of algorithm's running time.

➤ Let  $f: \mathbb{N} \rightarrow \mathbb{R}$  be a function.

Then  $O(f)$  is the set of functions

$O(f) = \{ g: \mathbb{N} \rightarrow \mathbb{R} \mid \text{there exists a constant } c \text{ and a natural number } n_0 \text{ such that}$

$|g(n)| \leq c|f(n)| \text{ for all } n \geq n_0 \}$






# BIG-OMEGA NOTATION ( $\Omega$ )

- Gives the lower bound of algorithm running time.
- Let  $f, g: \mathbb{N} \rightarrow \mathbb{R}$  be functions from the set of natural numbers to the set of real numbers.

We write  $g \in \Omega(f)$  if and only if there exists some real number  $n_0$  and a positive real constant  $c$  such that  $|g(n)| \geq c|f(n)|$  for all  $n$  in  $\mathbb{N}$  satisfying  $n \geq n_0$ .




# THETA NOTATION ( $\Theta$ )

If  $f$  and  $g$  are functions from  $S$  to the real numbers, then we write  $g \in \Theta(f)$  if and only if there exists some real number  $n_0$  and positive real constants  $C$  and  $C'$  such that

$$C|f(n)| \leq |g(n)| \leq C'|f(n)|$$

for all  $n$  in  $S$  satisfying  $n \geq n_0$ .

Thus,  $\Theta(f) = O(f) \cap \Omega(f)$







# INTUITION ABOUT THE NOTATIONS

notation

$O$  (Big-Oh)

$\Omega$  (Big-Omega)




$\Theta$  (Theta)

intuition

$$f(n) \leq g(n)$$

$$f(n) \geq g(n)$$

$$f(n) = g(n)$$






# LITTLE OH NOTATION (O)



➤ **little-Oh Defn:**

$$f(n) = o(g(n))$$

➤ If for all positive constants  $c$  there exists an  $n_0$  such that  $f(n) < c \cdot g(n)$  for all  $n \geq n_0$ .






# LITTLE OMEGA NOTATION ( $\Omega$ )

- little-Omega Defn:

$$f(n) = \Omega(g(n))$$

- If for all positive constants  $c$  there exists an  $n_0$  such that  $f(n) > c \cdot g(n)$  for all  $n \geq n_0$ .



# TIME COMPLEXITY

Dependency of

- the time it takes to solve a problem
- as a function of the problem dimension/size

Examples:

- Sorting a list of length  $n$
- Searching a list of length  $n$
- Multiplying a  $n \times n$  matrix by an  $n \times 1$  vector

Time to solve problem might depend on data

- Average-case time
- Best-case time
  - data is well suited for algorithm (can't be counted on)
- Worst-case time
  - data is such that algorithm performs poorly (time-wise)

Worst-Case gives an upper bound as to how much time will be needed to solve any instance of the problem



Thank you!

