

SNS COLLEGE OF TECHNOLOGY

Coimbatore-35 An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF ARTIFICIAL INTELLIGENCE & MACHINE LEARNING

23ITT101-PROGRAMMING IN C AND DATA STRUCTURES I YEAR - II SEM

UNIT 1 – INTRODUCTION TO C

TOPIC 5 – Structure of a 'C' program







Documentation Section

Link Section

Definition Section

Global Declaration Section


main() Function Section
{

Declaration Part

Executable Part

ł

Subprogram Section







 \succ C program can be viewed as a group of building blocks called <u>functions</u>.

- A function is a subroutine that may include one or more <u>statements</u> designed to perform a specific task.
- Documentation Section
 - The documentation section consists of a set of comment lines giving the name of the program, the author and other details, which the programmer would like to use later.

Link Section

• The link section provides instructions to the **compiler to link functions** from the system library.

Definition Section

• The definition section defines all symbolic constants.





► Global Declaration Section

- There are some variables that are used in more than one function.
- Such variables are called global variables and are declared in the global declaration section that is **outside of all the functions**.
- This section also declares all the user-defined functions
- ► Main() Function Section
 - Every C program must have one main() function section.
 - This section contains two parts:
 - Declaration part
 - »declares all **the variables** used in the executable part
 - Executable part.
 - »There should be at least **one statement** in the executable part.
 - These two parts must appear between the **opening and the closing braces**.
 - The program execution begins at the opening brace and ends at the closing brace.





 \succ The closing brace of the main function section is the logical end of the program. \geq All statements in the declaration and executable parts end with a semicolon(;).

Subprogram Section

- The subprogram section contains all the user-defined functions that are called in the main function.
- User-defined functions are generally placed immediately after the main function, although they may appear in any order.

>All sections, except the <u>main function</u> section may be absent when they are not required





5/11



BASIC STRUCTURE OF A 'C' PROGRAM: Example: Documentation section [Used for Comments] Link section Definition section Global declaration section [Variable used in more than one function] main() Declaration part Executable part fun(); Subprogram section [User-defined Function] Function1 Function 2 Function n

- //Sample Prog
- #include<stdio.h> #include<conio.h>
- void fun();
- int a=10;
- void main()

```
clrscr();
printf("a value inside main(): %d",a);
```

- void fun()
- printf("\na value inside fun(): %d",a);






Executing a program written in C involves a series of steps. These are:

- 1. Creating the program;
- 2. **Compiling** the program;

3. Linking the program with functions that are needed from the C library; and

4. Executing the program.







- 1. Creating the Program
- The program must be entered into a file.
- The file name can consist of letters, digits and special characters, followed by a dot and a letter c.
- Examples of valid file names are:
 - ✤hello.c
 - program.c
 - ♣ebg1.c
- The file is created with the help of a text editor (ex. notepad) and some standard C editors.
- The program that is entered into the file is known as the source program, since it represents the original form of the program





8/11

2. Compiling

- Let us assume that the source program has been created in a file named ebg1.c.
- Now the program is ready for compilation.
- The source program instructions are **now translated into a form that is suitable** for execution by the computer.
- The translation is done after examining each instruction for its correctness.
- If everything is alright, the compilation proceeds silently and the translated program is stored on another file with the name **ebg1.o.**
- This program is known as **object code**.







3. Linking

- Linking is the process of putting together other program files and functions that are required by the program.
- For example, if the program is using exp() function, then the object code of this function should be brought from the **math library** of the system and linked to the main program.
- The linking is **automatically done** (if no errors are detected) in most of the Standard C Editors.
- > If any mistakes in the syntax and semantics of the language are discovered, they are listed out and the compilation process ends right there.
- > The errors should be corrected in the source program with the help of the editor and the compilation is done again.
- > The compiled and linked program is called the <u>executable object code</u> and is stored automatically in another file named **<u>a.out</u>**.
- \blacktriangleright Note: Different systems use different compilation commands for linking various functions.



4.Executing the Program

- \succ Execution is a simple task
- > load the executable object code into the computer memory and execute the instructions
- > During execution, the program may request for some data to be entered through the keyboard.
- \blacktriangleright Sometimes the program does not produce the desired results.
- \succ Perhaps, something is wrong with the program logic or data.
- \succ Then it would be necessary to correct the source program or the data.
- > In case the source program is modified, the entire process of compiling, linking and executing the program should be repeated.
- \blacktriangleright Note that the linker always assigns the same name a.out.
- > When we compile another program, this file will be overwritten by the executable object code of the new program.



11/11





Structure of a 'C' program / PROG IN C AND DS / M.MOHANAPRIYA/AIML/SNSCT

