



# **SNS COLLEGE OF TECHNOLOGY**

**Coimbatore-35.**

**An Autonomous Institution**

**Accredited by NBA – AICTE and Accredited by NAAC – UGC with ‘A++’ Grade  
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai**

**COURSE NAME : OPERATING SYSTEMS**

**II YEAR/ IV SEMESTER**

**UNIT – IV FILE SYSTEMS**

**Topic: Directory Structure**

**Dr.B.Vinodhini**


**Associate Professor**

**Department of Computer Science and  
Engineering**




# *Directory Structure*

- A collection of nodes containing information about all files



Both the directory structure and the files reside on disk

# *A Typical File-system Organization*



# *Operations Performed on Directory*

- Search for a file
- Create a file
- Delete a file
- List a directory
- Rename a file
- Traverse the file system


# *Directory Organization*

The directory is organized logically to obtain

- Efficiency – locating a file quickly
- Naming – convenient to users
  - Two users can have same name for different files
  - The same file can have several different names
- Grouping – logical grouping of files by properties, (e.g., all Java programs, all games, ...)


# *Single-Level Directory*

- A single directory for all users
- Naming problem
- Grouping problem




# *Two-Level Directory*

- Separate directory for each user



- Path name
- Can have the same file name for different user
- Efficient searching
- No grouping capability

# *Tree-Structured Directories*





# *Tree-Structured Directories (Cont)*

- **Absolute** or **relative** path name
- Creating a new file is done in current directory
- Delete a file


**rm <file-name>**

- Creating a new subdirectory is done in current directory

**mkdir <dir-name>**

Example: if in current directory **/mail**


**mkdir count**



Deleting “mail”  $\Rightarrow$  deleting the entire subtree rooted by “mail”

# Acyclic-Graph Directories

- Have shared subdirectories and files




# *Acyclic-Graph Directories (Cont.)*

- Two different names (aliasing)
- If *dict* deletes *list*  $\Rightarrow$  dangling pointer

Solutions:

- Backpointers, so we can delete all pointers  
Variable size records a problem
- Backpointers using a daisy chain organization
- Entry-hold-count solution
- New directory entry type
  - **Link** – another name (pointer) to an existing file
  - **Resolve the link** – follow pointer to locate the file

# General Graph Directory



# *General Graph Directory (Cont.)*

- How do we guarantee no cycles?
  - Allow only links to file not subdirectories
  - **Garbage collection**
  - Every time a new link is added use a cycle detection algorithm to determine whether it is OK

# *References*

1. Silberschatz, Galvin, and Gagne, “Operating System Concepts”, Ninth Edition, Wiley India Pvt Ltd, 2009.
- 2 . Andrew S. Tanenbaum, “Modern Operating Systems”, Fourth Edition, Pearson Education, 2010.



# *Summarization*